

AD-A062 388

AEL SERVICE CORP FARMINGDALE N J

F/G 9/3

ELECTROMAGNETIC RADIATION SYSTEM (EMRS) FOR SUSCEPTIBILITY TEST--ETC(U)

NOV 78 J M VAN ARSDALE

DAAB07-76-C-0332

UNCLASSIFIED

AELSC-TR-23-2

CORADCOM-76-0332-7


NL

1 OF 1
ADA
062388



END
DATE
FILMED

3 -79
DDC





LEVEL III

12
SC


RESEARCH AND DEVELOPMENT TECHNICAL REPORT
CORADCOM- 76-0332-7

A059862
5h

ELECTROMAGNETIC RADIATION SYSTEM (EMRS)

SUSCEPTIBILITY TESTING

Jack M. Van Arsdale
AMERICAN ELECTRONIC LABORATORIES, INC.
P.O. Box 691
Farmingdale, N.J. 07727



November 1978

Quarterly Report for Period of 1 April 1978 to 30 June 1978

DISTRIBUTION STATEMENT

Approved for public release; distribution unlimited.

Prepared for:
CENCOMS

CORADCOM

US ARMY COMMUNICATION RESEARCH & DEVELOPMENT COMMAND
FORT MONMOUTH, NEW JERSEY 07703

78 12 14 018

AD A062388

DDC FILE COPY

NOTICES

Disclaimers

The citation of trade names and names of manufacturers in this report is not to be construed as official Government indorsement or approval of commercial products or services referenced herein.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

ACCESSION FOR	
WFO	WFO Section <input checked="" type="checkbox"/>
WFO	WFO Section <input type="checkbox"/>
WFO	WFO Section <input type="checkbox"/>
U.S. DEPT. OF JUSTICE	
BY	
DISSEMINATION/STAFF COPIES	
STANDARD	
A	

78 12 14 018

HISA-FM-633-78

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER (13) CORADCOM-76-0332-7	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) (16) ELECTROMAGNETIC RADIATION SYSTEM (EMRS) FOR SUSCEPTIBILITY TESTING	5. TYPE OF REPORT & PERIOD COVERED (19) Quarterly Report, 1 April - 30 June 1978	
7. AUTHOR(s) (10) Jack M. Van Arsdale	6. PERFORMING ORG. REPORT NUMBER (14) AELSC-TR-23-2	
American Electronic Laboratories, Inc.	8. CONTRACT OR GRANT NUMBER(s) (15) DAAB07-76-C-0332	
9. PERFORMING ORGANIZATION NAME AND ADDRESS American Electronic Laboratories, Inc. P.O. Box 691 Farmingdale, NJ 07727	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 6.72.01.A 1L7 62701 AH92 C1 071 C8	
11. CONTROLLING OFFICE NAME AND ADDRESS CORADCOM CENCOMS DRDCO-COM-RY-3 Fort Monmouth, NJ 07703	12. REPORT DATE (11) November 1978	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	13. NUMBER OF PAGES	
	15. SECURITY CLASS. (of this report) UNCLASSIFIED	
	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited. (12) 47 P.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) (16) 1L762701AH92 (17) 24, 28		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Electromagnetic Compatibility, electromagnetic-energy. Electromagnetic Radiation System (EMRS)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The function of the Electromagnetic Radiation System (EMRS) is to generate electromagnetic energy so as to produce a constant field strength that can be automatically scanned as a function of frequency. The design objective is to cover the frequency range of 30 hertz to 40 gigahertz with field strength intensities up to 200 volts per meter. The status of system hardware is described along with considerations of modulation circuitry, power leveling and control panel design.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

409 710

409 710

per # 14

TABLE OF CONTENTS

<u>Section</u>		<u>Page</u>
I.	INTRODUCTION.	1
II.	STATUS OF EMRS EQUIPMENT.	2
III.	DESIGN CONSIDERATIONS.	
	A. Pulse and fast AM modulation circuit.	3
	B. Power setting and leveling circuitry.	4
	C. Control Panel.	4
IV.	FUTURE PLANS.	5
V.	ILLUSTRATIONS.	
VI.	DISTRIBUTION LIST.	

I. INTRODUCTION.

This report describes the activities and developments concerning Phase II of Electromagnetic Radiation System (EMRS) Program during the period 1 April 1978 to 30 June 1978. The purpose of Phase II of EMRS program is to develop the hardware to demonstrate the feasibility of the theoretical design considered in Phase I.

II. STATUS OF EMRS EQUIPMENT.

A. During the period of this report, the following equipment has been received:

1. Sweep Oscillator system including:
 - a. HP 86235A 1.7 to 4.3 GHz RF plug-in.
2. RF amplifiers
 - a. Logimetrics A600L for 1 to 2.1 GHz
 - b. Logimetrics A200U for 12.4 to 18.0 GHz
3. RF power leveling and controls
 - a. HP8495H programmable attenuator for attenuating the RF input to the crystal detector.

B. Remaining equipment to be received:

1. Tunable bandpass filters.

The tunable bandpass filters for the 30 to 60 MHz, 1 to 2.1 GHz, 2.1 to 4 GHz, and 12.4 to 18 GHz are on order. Delivery is expected in early September 1978.

III. DESIGN CONSIDERATIONS.

A. Pulse and fast AM modulation circuit.

Design and preliminary testing of the fast AM and pulse modulation circuit has been completed. The circuit diagram is shown in figure 1. The circuit consists of input channels for selecting either pulse modulation or fast AM. Selection is made by setting a control panel toggle switch to either PULSE or FAST AM.

With the switch, S1, in the PULSE position the output of the DH0035 PIN diode driver is connected, via S1C, to the pin diode modulator. The inputs to the PIN diode driver are connected, via S1A and S1B, to the DS8830 differential line driver. The input to the DS8830 is the pulse modulation signal.

With switch S1 in the FAST AM position, the PIN diode is connected to the output of the BB3554 high speed/current AM driver. The input to AM driver is the desired modulating signal. Resistor R1 adjust, the output offset voltage of the AM driver to set the pin diode bias point.

Results of preliminary tests indicate that the pulse modulator is capable of modulating the pin diode with pulse rise and fall times of less than 100 nanoseconds. Test of the AM driver circuit indicates 100% modulation up to 2 MHz is achievable.

Addition test will be performed on the modulator after final packaging to determine the effects of stray capacitance on modulation band width and pulse rise time.

B. Power setting and leveling circuitry.

The design of the power setting and leveling circuitry was discussed in the 6th quarterly report⁽¹⁾. The circuit was constructed and preliminary functional testing has been completed. The final circuit board fabrication and wire wrapping is presently in progress.

C. Control Panel.

Figure 2 shows the control panel for EMRS. The panel dimensions are 19" x 7" for standard rack mounting.

The heavy arrows on the diagram indicate the direction of RF signal flow.

Light arrows indicate post detection dc levels. The function of each control panel switch and connector is shown in table 1.

(1) CORADCOM-76-0332-6, ELECTROMAGNETIC RADIATION SYSTEM (EMRS)
FOR SUSCEPTIBILITY TESTING, JULY 1978.

IV. FUTURE PLANS.

During the next report period, the following developments are anticipated:

1. Receipt of tracking filters for the 30 to 60 MHz, 1 to 2.1 GHz, 2.1 to 4 GHz, and 12.4 - 18 GHz bands.
2. Final assembly of EMRS system and system check out.
3. Begin formal testing according to the EMRS system test plan dated July 1978.



Figure 2. EMRS Control Panel

TABLE 1

<u>Designation</u>	<u>Function</u>	<u>Connection/Switch Type</u>
J1	RF input from field probe	N-F
J2	Attenuated (70 to 0 db) RF input from field probe. Outputs to crystal detector	N-F
J3	Accepts detected RF from crystal detector. Input to automatic leveling control (ALC) amplifier/filter.	BNC-F
J4	Output of ALC amplifier/filter. Outputs to sweep oscillator external ALC input.	BNC-F
J5	RF input to PIN diode modulator. Accepts RF signal from sweep oscillator.	N-F
J6	Modulated RF output	N-F
J7	RF input to (0 to 11 db) attenuator.	N-F
J8	Attenuated (0 to 11 db) RF output.	N-F
J9	RF input to 0 to 70 db attenuator.	
J10	Attenuated (0 to 70 db) RF output.	N-F
J11	External modulation input.	BNC-F
S1	Selects LOW or HI ALC gain	SPDT
S2-S8	Selects RF attenuation from 0 to 81 db	SPDT
S9	Selects local or remote (computer) control of control panel functions	SPDT
S10	Selects fast AM or pulse modulation	3PDT
S11	Selects power supply for tracking filters	5 position rotary

DISTRIBUTION LIST

101	Defense Documentation Center ATTN: DDC-TCA Cameron Station (Bldg 5)	210	Commandant, Marine Corps HQ, US Marine Corps ATTN: Code LMC
*012	Alexandria, VA 22314	001	Washington, DC 20380
104	Defense Communications Agency Technical Library Center Code 205	211	HQ, US Marine Corps ATTN: Code INTS
001	Washington, DC 20305	001	Washington, DC 20380
107	Director National Security Agency ATTN: TDL	212	Command, Control & Comm Div Development Center Marine Corps Dev & Educ Cmd
001	Fort George G. Meade, MD 20755	001	Quantico, VA 22134
108	Director, Defense Nuclear Agency ATTN: Technical Library	214	Commander, Naval Air Sys Cmd (AIR-55/ESA-13)
001	Washington, DC 20305	001	Washington, DC 20361
110	Code RI23 Tech Library DCA/Defense Comm Engring Ctr 1860 Wiehle Ave	215	Naval Telecommunications Cmd Tech Library, Code 91L 4401 Massachusetts Ave, NW
001	Reston, VA 22090	001	Washington, DC 20390
200	Office of Naval Research Code 427	301	Rome Air Development Center ATTN: Documents Library (TILD)
001	Arlington, VA 22217	001	Griffiss AFB, NY 13441
201	Commander, Naval Ship Sys Cmd Technical Library, PM 3 S-08 National Center No. 3	304	Air Force Cambridge Research Lab L.G. Hanscom Field ATTN: LIR
001	Washington, DC 20360	001	Bedford, MA 01730
202	Naval Ships Engineering Center Code 6157D Prince Georges Center	307	APGL/Sull S-29
001	Hyattsville, MD 20782	001	HAFB, MA 01731
205	Director Naval Research Laboratory ATTN: Code 2627	312	AFEWC/EST
001	Washington, DC 20375	001	San Antonio, TX 78243
206	Commander Naval Electronics Lab Center ATTN: Library	313	Armament Dev & Test Center ATTN: DLOSL, Tech Library
001	San Diego, CA 92152	001	Eglin Air Force Base, FL 32542
207	Commander Naval Surface Weapons Center White Oak Laboratory	314	HQ, Air Force Systems Cmd ATTN: DLCA Andrews AFB
001	Silver Spring, MD 20910	001	Washington, DC 20331
		315	Director Air University Library ATTN: AUL/LSE-64-285
		001	Maxwell AFB, AL 36112

318	HQ, AFCS ATTN: EPECRW Mail Stop 105B 001 Richards-Gebaur AFB, MO 64030	423	Commander, ARRCOM ATTN: DRSAR-RDP (Library) 001 Rock Island, IL 61201
403	HQDA(DACE-CMS) 001 WASH, DC 20310	427	CDR, US Army Combined Arms Combat Developments Activity ATTN: ATCAIC-IE 002 Fort Leavenworth, KS 66027
405	OSASS-RD 001 WASH, DC 20310	429	Commander US Army Logistics Center ATTN: ATCL-MA 001 Fort Lee, VA 23801
406	Commander US Army Training & Doctrine Cmd ATTN: ATCD-SI 001 Fort Monroe, VA 23651	430	Commandant US Army Ordnance School ATTN: ATSOR-CTD 001 Aberdeen Proving Ground, MD 21005
407	Commander US Army Training & Doctrine CMD ATTN: ATCD-CI 001 Fort Monroe, VA 23651		
408	HQDA(DARD-ARS-P/Dr. R.B. Watson 001 WASH, DC 20310		
409	CDR, DARCOM ATTN: DRCMA-EE 5001 Eisenhower Ave 001 Alexandria, VA 22333	432	Commandant US Army Field Artillery School ATTN: ATSFA-CTD 001 Fort Sill, OK 73503
414	Commander US Army Training & Doctrine Cmd ATTN: ATCD-F 001 Fort Monroe, VA 23651	433	CDR, AVRADCOM ATTN: DRSAR-E PO Box 209 001 St. Louis, MO 63166
417	CDR, DARCOM ATTN: DRCRD-01 (Mr. Speight) 5001 Eisenhower Ave 001 Alexandria, VA 22333	442	Commander Harry Diamond Laboratories ATTN: Library 2800 Powder Mill Rd. 001 Adelphi, MD 20783
419	Commander, MIRCOM ATTN: DRSMI-RR, Bldg 7770 001 Redstone Arsenal, AL 35809	448	Commander Picatinny Arsenal ATTN: SARPA-ND-A-4 (Bldg 95) 001 Dover, NJ 07801
421	CDR, MIRCOM Redstone Scientific Info Ctr ATTN: Chief, Document Section 002 Redstone Arsenal, AL 35809	449	Commander Picatinny Arsenal ATTN: SARPA-TS-S #59 002 Dover, NJ 07801
422	Commander NS Army Aeromedical Research Lab ATTN: Library 001 Fort Rucker, AL 36362		

455	Commander White Sands Missile Range ATTN: STEWS-ID-S HQ 001 White Sands Missile Range, NM 88002	489	Commander, TARADCOM ATTN: DRDTA-UL 001 Warren, MI 48090
458	Dir/Dev & Engr Defense Systems Div ATTN: SAREA-DE-DDR, H. Tannenbaum 002 Edgewood Arsenal, AFG, MD 21010	490	Commander Edgewood Arsenal ATTN: SAREA-TS-L 001 Aberdeen Proving Ground, MD 21010
465	Commander Aberdeen Proving Ground ATTN: STEAP-TL (Bldg 305) 002 Aberdeen Proving Ground, MD 21005	500	Commander US Army Yuma Proving Ground ATTN: STEYP-MTD (Tech Library) 002 Yuma, AZ 85364
474	Director US Army Human Eng Labs 001 Aberdeen Proving Gd, MD 21005	505	CDR, US Army Signal Warfare Lab ATTN: DELSW-AQ Arlington Hall Station 001 Arlington, VA 22212
475	Commander HQ, Fort Huachuca ATTN: Technical Ref Div 002 Fort Huachuca, AZ 85613	511	Commander US Army Nuclear Agency 001 Fort Bliss, TX 79916
476	Commander US Army Electronic Proving Gd ATTN: STEEP-MT 002 Fort Huachuca, AZ 85613	515	Director Joint Comm Office (TRI-TAC) ATTN: TT-AD(Tech Docu Ctr) 001 Fort Monmouth, NJ 07703
480	Commander USASA Test & Evaluation Ctr 001 Fort Huachuca, AZ 85613	517	Commander, MIRCOM ATTN: DRSMI-RED 001 Redstone Arsenal, AL 35809
482	Commander US Army Communications Command ATTN: ACC-FD-M 001 Fort Huachuca, AZ 85613	519	Commander US Army Systems Analysis Agency ATTN: DRXSY-T (Mr. A. Reid) 001 Aberdeen Proving Ground, MD 21005
483	Commander US Army Research Office ATTN: DRXRO-IP P.O. Box 12211 001 Research Triangle Park, NC 27709	525	Project Manager, REMBASS ATTN: DRCPM-RBS 001 Fort Monmouth, NJ 07703
484	Commander US Army Research Office ATTN: Dr. Robert J. Lontz, DRXRO-PH P.O.Box 12211 001 Research Triangle Park, NC 27709	526	Project Manager, NAVCON ATTN: DRCPM-NC-TM (T. Daniels) Bldg 2539 001 Fort Monmouth, NJ 07703

596 Commandant
US Army Signal School
ATTN: ATSN-CTD-MS
002 Fort Gordon, GA 30905

598 Commander
US Army Satellite Comm Agency
ATTN: DRCPM-SC-3
001 Fort Monmouth, NJ 07703

599 TRI-TAC Office
ATTN: TT-SE (Dr. Pritchard)
001 Fort Monmouth, NJ 07703

607 Commander, TARCOM

ATTN: DRDTA-RH
001 Warren, MI 48090

613 Atmospheric Sciences Lab, ECOM
ATTN: DRSEL-BL-SY-L
001 White Sands Missile Range, NM 88002

617 Chief
Intel Material Dev & Support Ofc
Electronic Warfare Lab, DELEW-I
001 Fort Meade, MD 20755

610 Director, Night Vision Laboratory
US Army Electronics Command
ATTN: DELNV-D
001 Fort Belvoir, VA 22060

701 MIT-Lincoln Laboratory
ATTN: Library, Rm A-082
P.O. Box 73
001 Lexington, MA 02173

703 NASA Scientific & Tech Info
Facility
ATTN: Acquisitions BR (S-AK/DL)
002 College Park, MD 20740

680 Commander
ERADCOM
Fort Monmouth, NJ 07703

ATTN: 1 DELEW-D
1 DELET-D
3 DELCS-D
1 DELSD-L
1 DELSD-D
2 DELSD-L-S

681 Commander
CORADCOM
Fort Monmouth, NJ 07703
ATTN: 1 DRDCO-PE
3 DRDCO-COM-RY-3
1 DRDCO-COM-D-3 (Ofc of Record)
1 DRDCO-SEI
1 USMC-LNO
1 ATFE-LO-EC

682 Commander
CERCOM
Fort Monmouth, NJ 07703

ATTN: 1 DRSEL-PL-ST
1 DRSEL-MA-MP
2 DRSEL-PA

Commander
ERADCOM
1 ATTN: DELAS-D
White Sands Missile Range, NJ 88002

Commander
AVRADCOM
1 ATTN: DAVAA-D
Fort Monmouth, NJ 07703

Commander, MIRADCOM
1 ATTN: DRDMI-ETR (Riley)
Redstone Arsenal, AL 35809